



MODULE LABEL KEY	
AN 1 etc	AN 1 etc
I/O 1 etc	I/O 1 etc
P.S.U.	P.S.U.

ABBREVIATIONS	
CT	CURRENT INPUTS
VT	VOLTAGE INPUTS
SI	STATUS INPUTS
CO	CHANGE OVER OUTPUT CONTACTS
NO	NORMALLY OPEN OUTPUT CONTACTS
NC	NORMALLY CLOSED OUTPUT CONTACTS

FOR INFORMATION ONLY
UNCONTROLLED COPY
NOT SUBJECT TO UPDATE

MATERIAL:		ABBREVIATIONS		Copyright © 2005 VA TECH Reyrolle Ltd. Hebburn		
Dimensions in millimetres ; Surface texture in micrometres. Machine where marked ✓ For explanation of dimensions, tolerances, notes etc. see B.S.308. Limit on untoleranced unmachined dimensions ± Limits on untoleranced machined dimensions to B.S.4500; i.e. up to 6±0.1; over 30 to 120±0.3; over 315±0.8; over 6 to 30±0.2; over 120 to 315±0.5; General unmachined angular tolerance ±		Finish:	Title:	1	13/07/05	CHANGE
		Treatment:	TERM IDENT & WIRING DIAGRAM FOR IOTA RELAY (59SI,3C0,42NO) E16 CASE	ISSUE	DATE	NOTED
			VA TECH Reyrolle AUTOMATION, CONTROL & PROTECTION	Original Scale:	Dr. No.	
			NTS	2761W11029		
DRAWN RDW	CHECKED RDW	APPROVED RD.WATSON	DATE 13/07/05	IE	OPS	PCP
					Purch.Spec.	TQ
				EAC	CE	STD
						A1